
Sadlier School

Sadlier Math[™]

Correlation to the Illinois Math Learning Standards

Grade 5



Learn more at www.SadlierSchool.com/SadlierMath

C	OPERATIONS AND ALGEBRAIC THINKING		5.OA
	Grade 5 Content Standards	Sadlier Math, Grade 5	
W	Write and interpret numerical expressions.		
1.	Use parentheses, brackets, or braces in numerical expressions, and evaluate expressions with these symbols.	Chapter 2: 2-2 Chapter 3: 3-1 Chapter 4: 4-10 & 4-11 Chapter 7: 7-2 Chapter 12: 12-7 & 12-8	
2.	Write simple expressions that record calculations with numbers, and interpret numerical expressions without evaluating them. For example, express the calculation "add 8 and 7, then multiply by 2" as 2 × (8 + 7).	Chapter 1: 1-5 through 1-7 Chapter 3: 3-2 & 3-3 Chapter 4: 4-10 & 4-11	

Analyze patterns and relationships.

3. Generate two numerical patterns using two given rules. Identify apparent relationships between corresponding terms. Form ordered pairs consisting of corresponding terms from the two patterns, and graph the ordered pairs on a coordinate plane. For example, given the rule "Add 3" and the starting number 0, and given the rule "Add 6" and the starting number 0, generate terms in the resulting sequences, and observe that the terms in one sequence are twice the corresponding terms in the other sequence. Explain informally why this is so.

Chapter 17: 17-5 through 17-7



NUMBER AND OPERATIONS IN BASE TEN

	Grade 5 Content Standards	Sadlier Math, Grade 5
Understand the place value system.		
1.	Recognize that in a multi-digit number, a digit in one place represents 10 times as much as it represents in the place to its right and 1/10 of what it represents in the place to its left.	Chapter 1: 1-1, 1-2 & 1-4
2.	Explain patterns in the number of zeros of the product when multiplying a number by powers of 10, and explain patterns in the placement of the decimal point when a decimal is multiplied or divided by a power of 10. Use whole-number exponents to denote powers of 10.	Chapter 1: 1-3 & 1-4 Chapter 12: 12-1 Chapter 13: 13-1
3.	Read, write, and compare decimals to thousand	Iths.
	a. Read and write decimals to thousandths using base-ten numerals, number names, and expanded form, e.g., 347.392 = 3 × 100 + 4 × 10 + 7 × 1 + 3 × (1/10) + 9 × (1/100) + 2 × (1/1000).	Chapter 2: 2-1
	 b. Compare two decimals to thousandths based on meanings of the digits in each place, using >, =, and < symbols to record the results of comparisons. 	Chapter 2: 2-3 Chapter 13: 13-3 through 13-5
4.	Use place value understanding to round decimals to any place.	Chapter 2: 2-4 through 2-6 Chapter 10: 10-3 Chapter 11: 11-2

Chapter 3: 3-4 through 3-8

Chapter 4: 4-1 through 4-9

5. Fluently multiply multi-digit whole numbers

numbers with up to four-digit dividends and two-digit divisors, using strategies based on continued

using the standard algorithm.

6. Find whole-number quotients of whole

NF	
2-9	

ı	NUMBER AND OPERATIONS IN BASE TEN	
	Grade 5 Content Standards	Sadlier Math, Grade 5
	place value, the properties of operations, and/or the relationship between multiplication and division. Illustrate and explain the calculation by using equations, rectangular arrays, and/or area models.	
7.	Add, subtract, multiply, and divide decimals to hundredths, using concrete models or drawings and strategies based on place value, properties of operations, and/or the relationship between addition and subtraction; relate the strategy to a written method and explain the reasoning used.	Chapter 10: 10-1 through 10-7 Chapter 11: 11-1 through 11-6 Chapter 12: 12-2 through 12-9 Chapter 13: 13-1, 13-2, 13-5 through 13-10

NUMBER AND OPERATIONS — FRACTIONS

5.NF

Grade 5 Content Standards

Sadlier Math, Grade 5

Use equivalent fractions as a strategy to add and subtract fractions.

- 1. Add and subtract fractions with unlike denominators (including mixed numbers) by replacing given fractions with equivalent fractions in such a way as to produce an equivalent sum or difference of fractions with like denominators. For example, 2/3 + 5/4 = 8/12 + 15/12 = 23/12. (In general, a/b + c/d = (ad + bc)/bd.)
- Chapter 6: 6-1 through 6-6 Chapter 7: 7-1, 7-2, 7-4, 7-6 through 7-8

 Solve word problems involving addition and subtraction of fractions referring to the same whole, including cases of unlike denominators, e.g., by using visual fractionmodels or equations to represent the problem. Use benchmark fractions and number sense of fractions to estimate mentally and assess the reasonableness of continued Chapter 6: 6-1 through 6-6

Chapter 7: 7-1 through 7-3, 7-5, 7-7 through 7-9

Chapter 8: 8-11 Chapter 9: 9-6

Sadlier Math" is a trademark of William H. Sadlier, Inc.

NUMBER AND OPERATIONS — FRACTIONS		5.NF
Grade 5 Content Standards	Sadlier Math, Grade 5	
answers. For example, recognize an incorrect result 2/5 + 1/2 = 3/7, by observing that 3/7 < 1/2.		

Apply and extend previous understandings of multiplication and division to multiply and divide fractions.

3. Interpret a fraction as division of the numerator by the denominator (a/b = a ÷ b). Solve word problems involving division of whole numbers leading to answers in the form of fractions or mixed numbers, e.g., by using visual fraction models or equations to represent the problem. For example, interpret 3/4 as the result of dividing 3 by 4, noting that 3/4 multiplied by 4 equals 3, and that when 3 wholes are shared equally among 4 people each person has a share of size 3/4. If 9 people want to share a 50-pound sack of rice equally by weight, how many pounds of rice should each person get? Between what two whole numbers does your answer lie?

Chapter 5: 5-8 Chapter 8: 8-6 & 8-7

- 4. Apply and extend previous understandings of multiplication to multiply a fraction or whole number by a fraction.
 - a. Interpret the product $(a/b) \times q$ as a parts of a partition of q into b equal parts; equivalently, as the result of a sequence of operations $a \times q \div b$. For example, use a visual fraction model to show $(2/3) \times 4 = 8/3$, and create a story context for this equation. Do the same with $(2/3) \times (4/5) = 8/15$. (In general, $(a/b) \times (c/d) = ac/bd$.)

Chapter 8: 8-1 through 8-3, 8-5, 8-8 & 8-9

 Find the area of a rectangle with fractional side lengths by tiling it with unit squares of the appropriate unit fraction side continued **Chapter 8: 8-10**



N	NUMBER AND OPERATIONS — FRACTIONS 5.NF		
	Grade 5 Content Standards	Sadlier Math, Grade 5	
	lengths, and show that the area is the same as would be found by multiplying the side lengths. Multiply fractional side lengths to find areas of rectangles, and represent fraction products as rectangular areas.		
5.	Interpret multiplication as scaling (resizing), by:		
	a. Comparing the size of a product to the size of one factor on the basis of the size of the other factor, without performing the indicated multiplication.	Chapter 8: 8-4	
	b. Explaining why multiplying a given number by a fraction greater than 1 results in a product greater than the given number (recognizing multiplication by whole numbers greater than 1 as a familiar case); explaining why multiplying a given number by a fraction less than 1 results in a product smaller than the given number; and relating the principle of fraction equivalence $a/b = (n \times a)/(n \times b)$ to the effect of multiplying a/b by 1.	Chapter 8: 8-4	
6.	Solve real world problems involving multiplication of fractions and mixed numbers, e.g., by using visual fraction models or equations to represent the problem.	Chapter 8: 8-2 & 8-3, 8-11 Chapter 9: 9-6	
7.	7. Apply and extend previous understandings of division to divide unit fractions by whole numbers and whole numbers by unit fractions. ¹		
	a. Interpret division of a unit fraction by a non-zero whole number, and compute such quotients. For example, create a story context for (1/3) ÷ 4, and use a visual continued	Chapter 9: 9-4 & 9-5	

¹Students able to multiply fractions in general can develop strategies to divide fractions in general, by reasoning about the relationship between multiplication and division. But division of a fraction by a fraction is not a requirement at this grade.



NUMBER AND OPERATIONS — FRACTIONS	
Grade 5 Content Standards	Sadlier Math, Grade 5
fraction model to show the quotient. Use the relationship between multiplication and division to explain that (1/3) ÷ 4 = 1/12 because (1/12) × 4 = 1/3.	
b. Interpret division of a whole number by a unit fraction, and compute such quotients. For example, create a story context for 4 ÷ (1/5), and use a visual fraction model to show the quotient. Use the relationship between multiplication and division to explain that 4 ÷ (1/5) = 20 because 20 × (1/5) = 4.	Chapter 9: 9-1 through 9-3
c. Solve real world problems involving division of unit fractions by non-zero whole numbers and division of whole numbers by unit fractions, e.g., by using visual fraction models and equations to represent the problem. For example, how much chocolate will each person get if 3 people share 1/2 lb of chocolate equally? How many 1/3-cup servings are in 2 cups of raisins?	Chapter 9: 9-6 & 9-7
MEASUREMENT AND DATA	5.MD
Grade 5 Content Standards	Sadlier Math, Grade 5

Chapter 14: 14-1 through 14-9

Convert like measurement units within a given measurement system.

 Convert among different-sized standard measurement units within a given

multi-step, real world problems.

measurement system (e.g., convert 5 cm to 0.05 m), and use these conversions in solving

MEASUREMENT AND DATA

5.MD

	Grade 5 Content Standards	Sadlier Math, Grade 5	
Re	Represent and interpret data.		
2.	Make a line plot to display a data set of measurements in fractions of a unit (1/2, 1/4, 1/8). Use operations on fractions for this grade to solve problems involving information presented in line plots. For example, given different measurements of liquid in identical beakers, find the amount of liquid each beaker would contain if the total amount in all the beakers were redistributed equally.	Chapter 17: 17-1 & 17-2	
1	Geometric measurement: understand concepts of volume and relate volume to multiplication and to addition.		
3.	3. Recognize volume as an attribute of solid figures and understand concepts of volume measurement.		
	a. A cube with side length 1 unit, called a "unit cube," is said to have "one cubic unit" of volume, and can be used to measure volume.	Chapter 16: 16-1 through 16-3	
	b. A solid figure which can be packed without gaps or overlaps using <i>n</i> unit cubes is said to have a volume of <i>n</i> cubic units.	Chapter 16: 16-2 & 16-3	
4.	Measure volumes by counting unit cubes, using cubic cm, cubic in, cubic ft, and improvised units.	Chapter 16: 16-2 & 16-3	
5.	Relate volume to the operations of multiplication mathematical problems involving volume.	on and addition and solve real world and	
	a. Find the volume of a right rectangular prism with whole-number side lengths by packing it with unit cubes, and show that the volume is the same as would be found	Chapter 16: 16-3 & 16-6	

continued

MEASUREMENT AND DATA

multiplication.

Grade 5 Content Standards

equivalently by multiplying the height by the area of the base. Represent threefold whole-number products as volumes, e.g., to represent the associative property of

b. Apply the formulas $V = I \times w \times h$ and V = b

world and mathematical problems.

volumes of solid figures composed of two non-overlapping right rectangular prisms by adding the volumes of the nonoverlapping parts, applying this technique

c. Recognize volume as additive. Find

to solve real world problems.

× h for rectangular prisms to find volumes of rectangular prisms with whole-number edge lengths in the context of solving real

by multiplying the edge lengths,

Sadlier Math, Grade 5	
16-4	()
	1000
16-5	200
	0
	TO SECOND
	1
5.G	<u></u>
CIIIM-H- CI-F	⊒
Sadlier Math, Grade 5	91797
mathematical problems.	III.W. 90 Shows
	ااا السائم عرض معرض لمصغب من الاستخمام م
mathematical problems.	orline Marth " is a tendemont of Mill
mathematical problems.	lim I Ondier In Ondier Marke is a rendomend of Milliam II Ondier Inc. All Lichts womand Mariko menodal nod for additional incloud accommend of the second inclouds accommended income

5.MD

GEOMETRY	5.G
Grade 5 Content Standards	Sadlier Math, Grade 5

Graph points on the coordinate plane to solve real-world and mathematical problems.

1. Use a pair of perpendicular number lines, called axes, to define a coordinate system, with the intersection of the lines (the origin) arranged to coincide with the 0 on each line and a given point in the plane located by using an ordered pair of numbers, called its coordinates. Understand that the first number indicates how far to travel from the origin in the direction of one axis, and the second number indicates how far to travel in the

Chapter 17: 17-3

Chapter 16: 16-4

Chapter 16: 16-5

	All rights reserved. May be reproduced for educational use (not commercial use).
	Sadlier Math™ is a trademark of William H. Sadlier, Inc.
	H. Sadlier, Inc.

Sadlier School

GEOMETRY		5.G
	Grade 5 Content Standards	Sadlier Math, Grade 5
	direction of the second axis, with the convention that the names of the two axes and the coordinates correspond (e.g., x-axis and x-coordinate, y-axis and y-coordinate).	
2.	Represent real world and mathematical problems by graphing points in the first quadrant of the coordinate plane, and interpret coordinate values of points in the context of the situation.	Chapter 17: 17-4
Classify two-dimensional figures into categories based on their properties.		
3.	Understand that attributes belonging to a category of two-dimensional figures also belong to all subcategories of that category. For example, all rectangles have four right angles and squares are rectangles, so all squares have four right angles.	Chapter 15: 15-1 through 15-5
4.	Classify two-dimensional figures in a hierarchy based on properties.	Chapter 15: 15-2, 15-4 & 15-5